

IN THE SPECIFICATION:

In the Abstract, page 19, lines 2-3: Please delete the words "Data Logging Method, Apparatus, System and Computer Program".

IN THE CLAIMS:

A1 1. ⁺³ (Original) A method for logging updates to a plurality of data records into discrete pages in non-volatile storage, wherein a page partially full of data is known as a partial page, said method comprising the steps of:

establishing identical partial pages I and I+1 at the earliest opportunity, ^x ⁹
in response to a data segment D larger than the remaining space of a most recent ⁹
updated partial page I, partitioning D into a first segment D1 sufficient to fill the
remaining space of page I and a second data segment D2,

filing page I with a first write operation of its present contents concatenated with ¹⁰
D1, and

creating identical partial pages I+1 and I+2 with a single, second write operation
of D2 to both pages, whereby pages I+1 and I+2 become the new pages I and I+1 for the ¹¹
next logging operation.

2. (Original) The method of claim 1 further comprising the step of:

in response to successive data segments D, the first of which is smaller than the
remaining space of the most recently updated partial page I, writing page I+1 to the
present contents of page I concatenated with D, and thereafter alternating this procedure
between pages I and I+1 until a data segment X fills the remaining space of the page
containing the most recent update, and at that point writing page I to the value of the most
recent update concatenated with the new segment X in a first write operation and writing
any remaining part of segment X into both pages I+1 and I+2 in a second write operation.

3. (Original) The method of claim 1 comprising the step of:

A/

in response to successive data segments D, the first of which is smaller than the remaining space of the most recently updated partial page I, writing I+1 to the present contents of page I concatenated with D, and thereafter continuing this procedure into successive pages I+2, I-3, etc. until a data segment X fills the remaining space of the page containing the most recent update, and at that point writing page I to the value of the most recent update concatenated with the new segment X in a first write operation and writing any remaining part of segment X into both pages I+1 and I+2 in a second write operation.

4.7 (Original) Apparatus for logging updates to a plurality of data records into discrete pages in non-volatile storage, wherein a page partially full of data is known as a partial page, comprising:

means for establishing identical partial pages I and I+1 at the earliest opportunity;
means responsive to a data segment D larger than the remaining space of a most recent updated partial page I for partitioning D into a first segment D1 sufficient to fill the remaining space of page I and a second data segment D2,
means for filling page I with a first write operation to its present contents concatenated with D1, and
means for updating with a second write operation both pages I+1 and I+2 to D2, whereby pages I+1 and I+2 become the new pages I and I+1 for the next logging operation.

5. (Original) The apparatus of claim 4 further comprising:

means responsive to successive data segments D, the first of which is smaller than the remaining space of the most recently updated partial page I for writing page I+1 to the present contents of page I concatenated with D, and means for thereafter alternating this procedure between pages I and I+1 until a data segment X fills the remaining space of the page containing the most recent update, and means for writing page I to the contents of the page containing the most recent updated concatenated with the last received data segment X.

- A/ 4
6. (Original) The apparatus of claim 4 further comprising:
means responsive to successive data segments D, the first of which is smaller than the remaining space of the most recently updated partial page I for writing page I+1 to the present contents of page I concatenated with D, and means for thereafter continuing this procedure into successive pages I+2, I+3, etc. until a data segment X fills the remaining space of the page containing the most recent update, and means for writing page I to the contents of the page containing the most recent update concatenated with the last received data segment X.
 7. (Original) A storage medium for storing computer program instructions that when loaded into a computer performs the steps of claim 1 or claim 2 or claim 3.
 8. (Original) A carrier wave containing computer program instructions that when loaded into a computer performs the steps of claim 1 or claim 2 or claim 3.